OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 22:40:41; Search time 3879.36 Seconds

(without alignments)

9890.408 Million cell updates/sec

Title: US-10-750-622-4518

Perfect score: 599.6

Sequence: 1 aaattcttctcctctcttct.....cgcagcattaaaagagggcc 600

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 6366136 seqs, 31973710525 residues

Total number of hits satisfying chosen parameters: 12732272

Minimum DB seq length: 0

Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:\*

1: gb env:\*

2: gb\_pat:\*

3: gb\_ph:\*

4: gb\_pl:\*

5: gb\_pr:\*

6: gb\_ro:\*

7: gb sts:\*

8: gb\_sy:\*

9: gb\_un:\*

10: gb\_vi:\*

11: gb\_ov:\*

12: gb\_htg:\*

13: gb\_in:\*

14: gb\_om:\*

15: gb\_ba:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result No.		-	Query Score Match Length DB ID		Description			
	Ċ	1	598	99.7 26903	1 12	AC167224	AC167224 Bos	tauru
	C	2	295 8	49 3 18246	2 5	AC092669	AC092669 Homo	sani

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 22:50:21; Search time 7288.32 Seconds

(without alignments)

4603.475 Million cell updates/sec

Title: US-10-750-622-4518

Perfect score: 599.6

Sequence: 1 aaattcttctcctctcttct.....cgcagcattaaaagagggcc 600

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 48236798 seqs, 27959665780 residues

Total number of hits satisfying chosen parameters: 96473596

Minimum DB seg length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : EST:\*

1: gb\_est1:\*
2: gb\_est3:\*
3: gb\_est4:\*
4: gb\_est5:\*
5: gb\_est6:\*
6: gb\_htc:\*
7: gb\_est2:\*
8: gb\_est7:\*
9: gb\_est8:\*
10: gb\_est9:\*
11: gb\_gss1:\*
12: gb\_gss2:\*
13: gb\_gss3:\*
14: gb\_gss4:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Re	sult No.	Score	Query Match	, Length DB IĐ			. Description
-	1					A0112913	A0112913 CIT-HSP-2
	2	108.2	18.0			BZ265275	BZ265275 CH230-521
C	3	79.4	-13.2	718	11	BH092744	BH092744 RPCI-24-3

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 23:11:25; Search time 1764.48 Seconds

(without alignments)

4178.331 Million cell updates/sec

Title: US-10-750-622-4518

Perfect score: 599.6

Sequence: 1 aaattcttctcctctcttct.....cgcagcattaaaagagggcc 600

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 18892170 seqs, 6143817638 residues

Total number of hits satisfying chosen parameters: 37784340

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0% Maximum Match 100%

Listing first 45 summaries

Database: Published Applications NA Main:\*

/EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US07\_PUBCOMB.seq:\* 2: /EMC Celerra SIDS3/ptodata/2/pubpna/US08 PUBCOMB.seq:\* 3: /EMC Celerra SIDS3/ptodata/2/pubpna/US09A PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US09B PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US09C PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10A PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10B PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10C PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10D PUBCOMB.seq:\* 10: /EMC Celerra SIDS3/ptodata/2/pubpna/US10E PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10F PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10G PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US11A PUBCOMB.seq: \* · 13: /EMC Celerra SIDS3/ptodata/2/pubpna/US11B PUBCOMB.seq:\* 14:

/EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11C\_PUBCOMB.seq:\*/EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11D\_PUBCOMB.seq:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result		Query				
No.	Score	Match	Length	DB	ID .	Description
1	599.6	100.0	600	10	US-10-750-185-4518	Sequence 4518. Ap

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 23:31:43; Search time 406.08 Seconds

(without alignments)

4304.212 Million cell updates/sec

Title: US-10-750-622-4518

Perfect score: 599.6

Sequence: 1 aaattcttctcctctcttct.....cgcagcattaaaagagggcc 600

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 3950299 seqs, 1456545396 residues

Total number of hits satisfying chosen parameters: 7900598

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: Published Applications NA New:\*

1: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US09\_NEW\_PUB.seq:\*

2: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US06\_NEW\_PUB.seq:\*
3: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US07\_NEW\_PUB.seq:\*

4: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US07\_NEW\_PUB.seq:\*

5: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/PCT\_NEW\_PUB.seq:\*

6: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US10\_NEW\_PUB.seq:\*

7: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq:\*

8: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq1:\*

9: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq2:\*

10: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq3:\*
11: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US60\_NEW\_PUB.seq:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed,

and is derived by analysis of the total score distribution.

	ult No.	Score	% Query Match	Length	DB	ID	Description	on
	1	295.8	49.3	í37359	7	US-11-033-056A-36532	Sequence	36532, A
	2	50.2	8.4	104262	7	US-11-033-056A-36220	Sequence	36220, A
	3	48.8	8.1	71638	7	US-11-033-056A-38193	Sequence	38193, A
С	4	48.6	8.1	225734	6	US-10-669-920-1137	Sequence	1137, Ap
С	5	47.6	7.9	685	6	US-10-956-160-8176	Sequencé	8176, Ap
С	6	47.6	7.9	685	6	US-10-956-160-218283	Sequence	218283,

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 22:50:21; Search time 303.68 Seconds

(without alignments)

4603.475 Million cell updates/sec

Title: US-10-750-622-5719

Perfect score: 25

Sequence: 1 aacacactgggacatgctcgcattc 25

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 48236798 seqs, 27959665780 residues

Total number of hits satisfying chosen parameters: 96473596

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : EST:\*

1: gb\_est1:\*
2: gb\_est3:\*
3: gb\_est4:\*
4: gb\_est5:\*
5: gb\_est6:\*
6: gb\_htc:\*
7: gb\_est2:\*
8: gb\_est7:\*
9: gb\_est8:\*
10: gb\_est9:\*

10: gb\_est9:\*
11: gb\_gss1:\*
12: gb\_gss2:\*
13: gb\_gss3:\*

14: gb\_gss4:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result No.		•		% Query Match	Length	DB	ID .	Description		
c			0.2	80.8			вј088219	BJ088219		
c	2 : 3		0.2	80.8	470 628		BG348022 BJ083957		de72h07.y	

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 22:40:41; Search time 161.64 Seconds

(without alignments)

9890.408 Million cell updates/sec

Title: US-10-750-622-5719

Perfect score: 25

Sequence: 1 aacacactgggacatgctcgcattc 25

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 6366136 seqs, 31973710525 residues

Total number of hits satisfying chosen parameters: 12732272

Minimum DB seq length: 0

Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:\*

1: gb\_env:\* 2: gb\_pat:\*

3: gb\_ph:\*
4: gb\_pl:\*

5: gb\_pr:\*

6: gb\_ro:\*

7: gb\_sts:\*
8: gb sy:\*

9: gb\_un:\*

10: gb vi:\*

11: gb ov:\*

12: gb\_ov.

13: gb in:\*

14: gb om:\*

·15: gb ba:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

### SUMMARIES

Result Query
No. Score Match Length DB ID Description

1 25 100.0 199890 12 AC168938 AC168938 Bos tauru
2 21.8 87.2 209895 5 AC074391 AC074391 Homo sapi

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 23:31:43; Search time 16.92 Seconds

(without alignments)

4304.212 Million cell updates/sec

Title: US-10-750-622-5719

Perfect score: 25

Sequence: 1 aacacactgggacatgctcgcattc 25

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 3950299 seqs, 1456545396 residues

Total number of hits satisfying chosen parameters: 7900598

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: Published Applications NA New:\*

1: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US09\_NEW\_PUB.seq:\*
2: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US06\_NEW\_PUB.seq:\*
3: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US07\_NEW\_PUB.seq:\*
4: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US08\_NEW\_PUB.seq:\*
5: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/PCT\_NEW\_PUB.seq:\*
6: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US10\_NEW\_PUB.seq:\*
7: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq:\*
8: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq1:\*
9: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq2:\*
10: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11\_NEW\_PUB.seq3:\*

11: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US60 NEW PUB.seq: \*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

			ક			•	•
Result			Query				
No.		Score	Match	Length	DB	ID	Description
	1	18.2	72.8	315	8	US-11-217-529-75582	Sequence 75582, A
С	2	18.2	72.8	482767	7	US-11-033-056A-38391	Sequence 38391, A
С	3	18.2	72.8	486468	7	US-11-033-056A-35962	Sequence 35962, A
С	4	18.2	72.8	507300	7	US-11-033-056A-36751	Sequence 36751, A
	5	17.8	71.2	1048668	7	US-11-033-056A-36314	Sequence 36314, A
	6	17.6	70.4	282	8	US-11-266-748A-409998	Sequence 409998.

Cnpbm-5719

GenCore version 5.1.9
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM nucleic - nucleic search, using sw model

Run on: January 22, 2007, 23:11:25; Search time 73.52 Seconds

(without alignments)

4178.331 Million cell updates/sec

Title: US-10-750-622-5719

Perfect score: 25

Sequence: 1 aacacactgggacatgctcgcattc 25

Scoring table: IDENTITY NUC

Gapop 10.0, Gapext 1.0

Searched: 18892170 segs, 6143817638 residues

Total number of hits satisfying chosen parameters: 37784340

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: Published Applications NA Main:\*

1: /EMC Celerra SIDS3/ptodata/2/pubpna/US07 PUBCOMB.seq:\* /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US08\_PUBCOMB.seq:\* 3: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US09A\_PUBCOMB.seq:\* 4: /EMC Celerra SIDS3/ptodata/2/pubpna/US09B PUBCOMB.seq:\* 5: /EMC Celerra SIDS3/ptodata/2/pubpna/US09C PUBCOMB.seq:\* 6: /EMC Celerra SIDS3/ptodata/2/pubpna/US10A PUBCOMB.seq:\* 7: /EMC Celerra SIDS3/ptodata/2/pubpna/US10B PUBCOMB.seq:\* 8: /EMC Celerra SIDS3/ptodata/2/pubpna/US10C PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10D PUBCOMB.seq:\* 10: /EMC Celerra SIDS3/ptodata/2/pubpna/US10E PUBCOMB.seq:\* 11: /EMC Celerra SIDS3/ptodata/2/pubpna/US10F PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US10G PUBCOMB.seq:\* 12: /EMC Celerra SIDS3/ptodata/2/pubpna/US11A PUBCOMB.seq:\* /EMC Celerra SIDS3/ptodata/2/pubpna/US11B PUBCOMB.seq:\* 14: /EMC\_Celerra\_SIDS3/ptodata/2/pubpna/US11C\_PUBCOMB.seq:\* 15:

/EMC Celerra SIDS3/ptodata/2/pubpna/US11D PUBCOMB.seq:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result No.	Score	Query Match	Length	DВ	ID	Description		
1	25	100.0	<u>-</u> 25	10	US-10-750-185-5719	Sequence 5719.	 Ap	